



HIV/AIDS STATISTICS

Pinellas and Pasco Counties (Area 5)

Volume 19, Issue 1
May 20, 2009



Pinellas County Health Department

205 Dr. M. L. King Street North
St. Petersburg, FL 33701
(727) 824-6900
www.PinellasHealth.com

Director

Claude M. Dharamraj, MD, MPH, FAAP
claud_e_dharamraj@doh.state.fl.us

Disease Control Division Director

Patricia L. Ryder, MD, MPH
pat_ryder@doh.state.fl.us

Epidemiology Program Manager

Dongming Cui, MD, MPH, DrPH
dongming_cui@doh.state.fl.us

Surveillance Program Manager

Andrea M. Dopico, MPH
andrea_dopico@doh.state.fl.us

HIV/AIDS Program Coordinator

Lisa E. Cohen
lisa_cohen@doh.state.fl.us

STD Program Manager

Sherry Y. Lewis, MM
sherry_lewis@doh.state.fl.us

TB Program Manager

Robert W. Berger
robert_berger@doh.state.fl.us

HIV/AIDS/STD Surveillance

Program Coordinator

Beth M. Sudduth, MPH
beth_sudduth@doh.state.fl.us

HIV/AIDS/STD Surveillance Staff:

Caroline Peterson, MPH - HIV/AIDS
Surveillance Coordinator

Stephanie Anspaugh, MPH - STD/HIV
Surveillance Coordinator

Mamie Slaughter - HIV/AIDS
NIR Coordinator

Toyin Ademokun, MPH - CDC Appren-
tice in HIV/AIDS surveillance through
June 2009; Newsletter Editor

**To report cases of
HIV/AIDS/STD or other
infectious diseases,
please call:
(727) 824-6932**

Inside this issue:

Pinellas HIV & AIDS Statistics	2
Pasco HIV & AIDS Statistics	3
Hillsborough HIV & AIDS Statistics	4
Florida HIV & AIDS Statistics	5
U.S. HIV & AIDS Statistics	5

ACT AGAINST AIDS CAMPAIGN

The "Act Against AIDS Campaign" has recently been launched by the Centers for Disease Control and Prevention (CDC). This campaign aims to bring awareness to the issue and hopefully decrease the rate of new HIV cases. More than 1 million people are living with HIV in the United States (an estimated 1,106,400 adults and adolescents) and approximately one in five of those (21 percent) are unaware of their infections. Although HIV infection is completely preventable, every 9½ minutes someone in the United States is infected with the virus. Get the facts at the websites below and let everyone know about the 9½ minutes campaign!


www.cdc.gov/hiv/aaa or <http://www.cdc.gov/nineandahalfminutes/index.html>



Prevalent (Living) HIV and AIDS Cases in Pinellas County

(cumulative cases through December 31st of each year)

Source: Florida Department of Health HIV/AIDS Program



Special Points of Interest

- Please call (727) 824-6932 if you need HIV/AIDS reporting forms, specific HIV/AIDS statistical information, would like to have a brief HIV/AIDS Surveillance In-Service for your staff or have HIV/AIDS cases reviewed in your office.

Pinellas County HIV/AIDS Statistics

AIDS data is cumulative from 1981 to March 31, 2009

HIV data is cumulative from July 1, 1997 to March 31, 2009

Table 1.

Risk Exposure	AIDS Cases—ADULT			HIV Cases—ADULT		
	Males (%)	Females (%)	Total (%)	Males (%)	Females (%)	Total (%)
Gay/Bisexual Men	2,571 (69%)	0 (0%)	2,571 (57%)	817 (70%)	0 (0%)	817(52%)
Injecting Drug Users (IDU)	417 (11%)	233 (31%)	650 (15%)	86 (7%)	84 (21%)	170 (11%)
Gay/Bi Male & IDU	279 (8%)	0 (0%)	279 (6%)	64 (5%)	0 (0%)	64 (4%)
Heterosexual Contact	246 (7%)	443 (58%)	689 (15%)	97 (8%)	232 (58%)	329 (21%)
Transfusion Recipients	27 (1%)	22 (3%)	49 (1%)	1 (0%)	1 (0%)	2 (0%)
Coagulation Disorder	10 (0%)	0 (0%)	10 (0%)	0 (0%)	0 (0%)	0 (0%)
Perinatal or Pediatric Risk	5 (0%)	3 (0%)	8 (0%)	0 (0%)	0 (0%)	0 (0%)
Risk Not Reported/Other	161 (4%)	59 (8%)	220 (5%)	104 (9%)	83 (21%)	175 (11%)
Total (%)	3,716 (100 %)	760 (100%)	4,476 (100%)	1,169 (100 %)	400 (100%)	1569 (100%)

Table 2.

Risk Exposure	AIDS Cases—PEDIATRIC			HIV Cases—PEDIATRIC		
	Hispanic (%)	Black/Other (%)	White(%)	Hispanic (%)	Black/Other (%)	White(%)
Mother with HIV	3 (100%)	12 (86%)	11 (85%)	2 (100%)	4 (80%)	4 (100%)
Hemophilia	0 (0%)	0 (0%)	2 (15%)	0 (0%)	0 (0%)	0 (0%)
Transfusion Recipients	0 (0%)	1 (7%)	0 (0%)	0 (0%)	0 (0%)	0 (0%)
Risk Not Reported	0 (0%)	1 (7%)	0 (0%)	0 (0%)	1 (20%)	0 (0%)
Total (%)	3 (100 %)	14 (100%)	13 (100%)	2 (100 %)	5 (100%)	4 (100%)

Table 3.

Race	AIDS Cases			HIV Cases		
	Adults (%)	Pediatric (%)	Total (%)	Adults (%)	Pediatric (%)	Total (%)
White	2,978 (67%)	13 (43%)	2,991 (67%)	916 (58%)	4 (36%)	920 (58%)
Black	1,187 (27%)	12 (40%)	1,199 (27%)	502 (32%)	5 (46%)	507 (32%)
Hispanic	244 (5%)	3 (10%)	247 (5%)	110 (7%)	2 (18%)	112 (7%)
Native Hawaiian/Pacific Is.	1 (0%)	0 (0%)	1 (0%)	0 (0%)	0 (0%)	0 (0%)
Legacy Asian/Pacific Is.	8 (0%)	0 (0%)	8 (0%)	3 (0%)	0 (0%)	3 (0%)
Am. Indian/AK. Native	6 (0%)	0 (0%)	6 (0%)	6 (0%)	0 (0%)	6 (0%)
Asian	6 (0%)	0 (0%)	6 (0%)	8 (1%)	0 (0%)	8 (1%)
Multi-Race/Other	46 (1%)	2 (7%)	48 (1%)	24 (2%)	0 (0%)	24 (2%)
Total (%)	4,476 (100 %)	30 (100%)	4,506 (100%)	1,569 (100 %)	11 (100%)	1580 (100%)

Table 4.

Age	AIDS Cases		HIV Cases	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
0-4	21 (0%)	16 (53%)	5 (0%)	0 (0%)
5-12	9 (0%)		6 (0%)	
13-19	28 (1%)	2,510 (56%) (ages 13—70+)	57 (4%)	90 (6%) (ages 13—70+)
20-29	654 (15%)		362 (23%)	
30-39	1,801 (40%)		497 (31%)	
40-49	1,337 (30%)		441 (28%)	
50-59	487 (11%)		174 (11%)	
60-64	102 (2%)		20 (1%)	
65-69	42 (1%)		10 (1%)	
70 +	25 (0%)	8 (1%)		
Total (%)	4,506 (100%)	2,526 (56%)	1,580 (100%)	90 (6%)

Source: Florida Department of Health, Bureau of HIV/AIDS (excluded DOC cases from report)
Please visit our website for previous newsletters and local HIV/AIDS information at: www.pinellashealth.com

Pasco County HIV/AIDS Statistics *

AIDS data is cumulative from 1981 to March 31, 2009

HIV data is cumulative from July 1, 1997 to March 31, 2009

Table 1. Risk Exposure	AIDS Cases—ADULT			HIV Cases—ADULT		
	Males (%)	Females (%)	Total (%)	Males (%)	Females (%)	Total (%)
Gay/Bisexual Men	348 (58%)	0 (0%)	348 (46%)	123 (61%)	0 (0%)	123 (41%)
Injecting Drug Users (IDU)	74 (12%)	43 (26%)	117 (15%)	13 (6%)	14 (14%)	27 (9%)
Gay/Bi Male & IDU	62 (10%)	0 (0%)	62 (8%)	12 (6%)	0 (0%)	12 (4%)
Heterosexual Contact	68 (11%)	103 (64%)	171 (22%)	18 (9%)	64 (66%)	82 (27%)
Transfusion Recipients	12 (2%)	3 (2%)	15 (2%)	0 (0%)	0 (0%)	0 (0%)
Coagulation Disorder	3 (0%)	0 (0%)	3 (0%)	*	0 (0%)	*
Perinatal or Pediatric Risk	*	*	*	*	*	*
Risk Not Reported/Other	39 (7%)	13 (8%)	52 (7%)	37 (18%)	19 (20%)	56 (19%)
Total (%)	606 (100 %)	162 (100%)	768 (100%)	203 (100 %)	97 (100%)	300 (100%)

Table 2. Risk Exposure	AIDS Cases—PEDIATRIC			HIV Cases—PEDIATRIC		
	Hispanic (%)	Black/Other (%)	White (%)	Hispanic (%)	Black/Other (%)	White(%)
Mother with HIV	*	*	*	*	*	*
Hemophilia	*	*	*	*	*	*
Transfusion Recipients	*	*	*	*	*	*
Risk Not Reported	*	*	*	*	*	*
Total (%)	3 (100%)			<3		

Table 3. Race	AIDS Cases			HIV Cases		
	Adults (%)	Pediatric (%)	Total (%)	Adults (%)	Pediatric (%)	Total (%)
White	611 (79%)	*	*	216 (72%)	*	*
Black	70 (9%)	*	*	40 (13%)	*	*
Hispanic	73 (10%)	*	*	37 (12%)	*	*
Multi-Race/Other	14 (2%)	*	*	7 (3%)	*	*
Total (%)	768 (100 %)	3 (100%)	771 (100%)	300 (100 %)	<3	*

Table 4. Age	AIDS Cases		HIV Cases	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
0-12	3 (0%)	<3	20 (7%) (ages 0—19)	0 (0%)
13-19	7 (1%)	401 (52%) (ages 13 - 70+)	63 (21%)	20 (7%) (ages 13 - 70+)
20-29	98 (13%)		90 (30%)	
30-39	308 (40%)		82 (28%)	
40-49	228 (30%)		37 (12%)	
50-59	96 (12%)		4 (1%)	
60-64	8 (1%)		6 (1%)	
65-69	15 (2%)			
70 +	8 (1%)			
Total (%)	771 (100%)	*	302 (100%)	20 (7%)

Source: Florida Department of Health, Bureau of HIV/AIDS (excluded DOC cases from report)

* Department of Health (DOH) workers who release aggregate HIV/AIDS data outside the Department must comply with the policy of suppressing all non-zero tabulated cells with <3 cases (i.e., all cells containing only 1 or 2 cases), except for geographical areas with populations of 500,00 or more. All marginal totals shown in table form should routinely be inspected to ensure that values of internal cells expressed as '<3' cannot be exactly determined. Consolidation with other data subgroups may be necessary to avoid such disclosure, except for geographical areas with population of 500,000 or more.

Hillsborough County HIV/AIDS Statistics[^]

AIDS data is cumulative from 1981 to March 31, 2009

HIV data is cumulative from July 1, 1997 to March 31, 2009

Table 1.	AIDS Cases—ADULT			HIV Cases—ADULT		
	Males (%)	Females (%)	Total (%)	Males (%)	Females (%)	Total (%)
Risk Exposure						
Gay/Bisexual Men	3,184 (61%)	0 (0%)	3,184 (47%)	1,078 (60%)	0 (0%)	1,078 (41%)
Injecting Drug Users (IDU)	643 (12%)	394 (25%)	1,037 (16%)	101 (6%)	91 (11%)	192 (8%)
Gay/Bi Male & IDU	403 (8%)	0 (0%)	403 (6%)	76 (4%)	0 (0%)	76 (3%)
Heterosexual Contact	563 (11%)	942 (60%)	1,505 (22%)	206 (12%)	470 (58%)	676 (26%)
Transfusion Recipients	27 (1%)	21 (1%)	48 (1%)	0 (0%)	0 (0%)	0 (0%)
Coagulation Disorder	18 (0%)	1 (0%)	19 (0%)	2 (0%)	0 (0%)	2 (0%)
Perinatal or Pediatric Risk	6 (0%)	11 (1%)	17 (0%)	0 (0%)	1 (0%)	1 (0%)
Risk Not Reported	355 (7%)	213 (13%)	568 (8%)	327 (18%)	256 (31%)	583 (22%)
Total (%)	5,199 (100 %)	1,582 (100%)	6,781 (100%)	1,790 (100 %)	818 (100%)	2608 (100%)

Table 2.	AIDS Cases—PEDIATRIC			HIV Cases—PEDIATRIC		
	Hispanic (%)	Black/Other (%)	White (%)	Hispanic (%)	Black/Other (%)	White (%)
Risk Exposure						
Mother with HIV	16 (94%)	43 (98%)	11 (65%)	8 (100%)	25(100%)	6 (100%)
Hemophilia	1 (6%)	0 (0%)	2 (11%)	0 (0%)	0 (0%)	0 (0%)
Transfusion Recipients	0 (0%)	1 (2%)	3 (18%)	0 (0%)	0 (0%)	0 (0%)
Risk Not Reported	0 (0%)	0 (0%)	1 (6%)	0 (0%)	0 (0%)	0 (0%)
Total (%)	17 (100 %)	44 (100%)	17 (100%)	8 (100 %)	25 (100%)	6 (100%)

Table 3.	AIDS Cases			HIV Cases		
	Adults (%)	Pediatric (%)	Total (%)	Adults (%)	Pediatric (%)	Total (%)
Race						
White	3,028 (45%)	17 (22%)	3,045 (45%)	994 (38%)	6 (15%)	1000 (38%)
Black	2,581 (38%)	44 (56%)	2,625 (38%)	1,141 (44%)	25 (64%)	1166 (44%)
Hispanic	1,068 (16%)	17 (22%)	1,085 (16%)	440 (17%)	8 (21%)	448 (17%)
Legacy Asian/Pacific Is.	9 (0%)	0 (0%)	9 (0%)	3 (0%)	0 (0%)	3 (0%)
Native Hawaiian/ Pacific Is.	0 (0%)	0 (0%)	0 (0%)	2 (0%)	0 (0%)	2 (0%)
Am. Indian/AK. Native	4 (0%)	0 (0%)	4 (0%)	7 (0%)	0 (0%)	7 (1%)
Asian	6 (0%)	0 (0%)	6 (0%)	4 (0%)	0 (0%)	4 (0%)
Multi-Race/Other	85 (1%)	0 (0%)	85 (1%)	17 (1%)	0 (0%)	17 (1%)
Total (%)	6,781 (100 %)	78 (100%)	6,859 (100%)	2,608 (100 %)	39 (100%)	2647 (100%)

Table 4.	AIDS Cases		HIV Cases	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
Age				
0-4	60 (1%)	34 (44%)	29 (1%)	0 (0%)
5-12	18 (0%)		10 (0%)	
13-19	56 (1%)	3,657 (54%) (ages 13—70+)	116 (4%)	159 (6%) (ages 13—70+)
20-29	1,160 (17%)		698 (26%)	
30-39	2,697 (39%)		833 (32%)	
40-49	1,923 (28%)		642 (24%)	
50-59	687 (10%)		232 (9%)	
60-64	141 (2%)		55 (2%)	
65-69	62 (1%)		19 (1%)	
70 +	55 (1%)	13 (1%)		
Total (%)	6,859 (100%)	3,691 (54%)	2,647 (100%)	159 (6%)

Source: Florida Department of Health, Bureau of HIV/AIDS (excluded DOC cases from report)

[^] For Hillsborough and other Florida county data, please visit the Florida Department of Health website at: www.doh.state.fl.us

Florida HIV/AIDS Statistics

Table 1. Cumulative Case Counts for Florida (HIV: 7/1/97 - 3/31/09) (AIDS: 1981—3/31/09)			Table 2. HIV/AIDS Cases Presumed to be Alive in Florida (through 3/31/09)	
	HIV	AIDS		Presumed Alive
ADULT	43,781	113,434	ADULT	93,425
PEDIATRIC	590	1,537	PEDIATRIC	388
TOTAL	44,371	114,971	TOTAL	93,813

Table 3. Cumulative HIV/AIDS Case Counts in Surrounding Counties (as of 3/31/09)- excluding Dept. of Corrections			Table 4. Cumulative HIV/AIDS Case Counts in the Top 7 Florida Counties (as of 3/31/09)- excluding Dept. of Corrections		
County	HIV	AIDS	County	HIV	AIDS
Hillsborough	2,647	6,871	Miami-Dade	12,339	32,271
Pinellas	1,580	4,511	Broward	7,891	18,330
Polk	715	2,059	Palm Beach	3,301	10,618
Sarasota	323	1,118	Orange	3,699	7,351
Manatee	367	1,064	Hillsborough	2,647	6,871
Pasco	316	801	Duval	2,288	5,982
Highlands	105	242	Pinellas	1,580	4,511
Hernando	114	238	<i>Source for Tables 1—4: Florida Department of Health Bureau of HIV/AIDS</i>		
Hardee	42	105			

United States HIV/AIDS Statistics

Table 5. Cumulative HIV/AIDS Case Counts for U.S. and dependent areas (as of 12/31/07)				Table 6. Cumulative Number of Cases Living with HIV* in Top 5 U.S. States (as of 12/31/07)		
	HIV *	AIDS	% AIDS Deaths (estimated)			
ADULT	331,768	1,021,242	57%	1. New York (06/00)	46,390	18%
PEDIATRIC	5,822	9,590	56%	2. Florida (07/97)	39,686	15%
TOTAL	337,590	1,030,832	57%	3. Texas (01/99)	26,605	10%
*HIV data is only from those states/areas where HIV is reportable & includes only persons reported with HIV infection who have not developed AIDS.				4. New Jersey (01/92)	17,612	7%
				5. Georgia	13,873	5%

Table 7. Cumulative AIDS Cases of 20 Leading U.S. Cities/MSAs (as of 12/31/07)							
1. New York City	166,051	6. Miami	31,036	11. Baltimore area	21,371	16. San Diego area	13,554
2. Los Angeles area	60,583	7. Philadelphia area	29,791	12. Dallas area	21,023	17. Tampa-St.Pete	11,754
3. Washington D.C. area	32,809	8. Houston area	26,954	13. Newark	20,728	18. Detroit area	10,852
4. San Francisco	31,559	9. Atlanta area	23,241	14. Ft.Lauderdale	17,308	19. W. Palm Beach	10,210
5. Chicago area	31,488	10. San Juan, PR	22,272	15. Boston area	14,013	20. Oakland, Ca.	10,037

Table 8. Cumulative AIDS Cases of 10 Leading U.S. States (as of 12/31/07)				World HIV/AIDS Statistics	
1. New York	181,461	6. Pennsylvania	35,489	Estimated new HIV infections in World in 2007: 2.5 million (~6800 per day)	
2. California	148,949	7. Illinois	35,066	Estimated living World HIV Cases as of 2007: 33.2 million (22.5 million in sub-Saharan Africa)	
3. Florida	109,524	8. Georgia	33,847	Estimated children (<15 years of age) in world living with HIV/AIDS as of 2007: 2 million (1.8 million in sub-Saharan Africa)	
4. Texas	72,828	9. Maryland	31,931	Estimated World deaths due to AIDS in 2007: 2.1 million	
5. New Jersey	50,694	10. Puerto Rico	30,736	Source: World Health Organization (www.who.org) & Joint United Nations Programme on HIV/AIDS (www.unaids.org)	
Source for Tables 5—8: Centers for Disease Control and Prevention, HIV/AIDS Surveillance Report, Vol. 19					

Useful Web Links/Sites for Additional HIV/AIDS Information

Florida HIV/AIDS Statistics:	http://www.doh.state.fl.us/	Int'l Assoc. of Physicians in AIDS care:	http://www.iapac.org/
Centers for Disease Control and Prevention:	http://www.cdc.gov/	Florida AIDS Hotline site:	http://www.211bigbend.org/hotlines/hiv/
World Health Organization:	http://www.who.int/en/	HIV/AIDS InSite Information:	http://hivinsite.ucsf.edu/
PAHO: AIDS site:	http://www.paho.org/english/ad/fch/ai/aids.htm	HIV/AIDS Info/Treatment Site:	http://www.aidsinfo.nih.gov/